

U. S. DEPARTMENT OF
AGRICULTURE

FARMERS' BULLETIN No. 1438

MAKING
FERMENTED
PICKLES



The Project Gutenberg EBook of USDA
Farmers' Bulletin No. 1438: Making
Fermented Pickles, by Edwin LeFevre

This eBook is for the use of anyone
anywhere in the United States and most
other parts of the world at no cost and
with almost no restrictions
whatsoever. You may copy it, give it
away or re-use it under the terms of
the Project Gutenberg License included
with this eBook or online at
www.gutenberg.org. If you are not
located in the United States, you'll
have
to check the laws of the country where
you are located before using this ebook.

Title: USDA Farmers' Bulletin No. 1438:
Making Fermented Pickles

Author: Edwin LeFevre

Release Date: April 17, 2015 [EBook
#48722]

Language: English

*** START OF THIS PROJECT GUTENBERG
EBOOK USDA FARMERS' BULLETIN ***

Produced by Tom Cosmas produced from
materials made
available at The Internet Archive.

I

INFORMATION AND DIRECTIONS for pickling vegetables in brine have been prepared for the use of housewives and producers of pickles, and to meet the needs of extension workers.

Cucumber (salt, sour, sweet, dill, and mixed) pickles and sauerkraut are given most attention. String beans, green tomatoes, chayotes, mango melons, burr gherkins, cauliflower, corn on the cob, and some fruits, such as peaches and pears, are mentioned.

Although intended mainly for guidance in putting up pickles on a small scale in the home, this bulletin may be used also in preparing large quantities on a commercial or semicommercial scale.

This bulletin is a revision of, and supersedes, Farmers' Bulletin 1159.

Washington,
D. C.

Issued August,
1924

**MAKING
FERMENTED
PICKLES**

**By EDWIN LEFEVRE,
*Scientific Assistant,***

Microbiological Laboratory, Bureau of Chemistry

CONTENTS

| | Page |
|------------------------------------|----------|
| How brining preserves vegetables | <u>1</u> |
| Equipment for brining and pickling | <u>2</u> |
| Supplies for brining and pickling | <u>4</u> |

| | |
|--|-----------|
| Cucumber pickles | <u>5</u> |
| Salt pickles | <u>5</u> |
| Sour pickles | <u>7</u> |
| Sweet pickles | <u>8</u> |
| Dill pickles | <u>8</u> |
| Mixed pickles | <u>10</u> |
| Sauerkraut | <u>10</u> |
| Fermentation and salting of vegetables other than, cucumbers and cabbage | <u>11</u> |
| Causes of failure | <u>12</u> |
| Coloring and hardening agents | <u>14</u> |
| Tables and tests | <u>14</u> |

A

ALTHOUGH excellent pickles can be

bought on the market at all seasons of the year, many housewives prefer to make their own, particularly when their home gardens afford a plentiful supply of cucumbers.

Brining is a good way to save surplus cucumbers that can not be used or readily sold in the fresh state. Instead of letting them go to waste it is very easy to cure them, after which they may be held as long as desired or until they can be sold to advantage, either in local markets or to pickle manufacturers. Thus growers are protected against loss by overproduction or from inability to speedily market a perishable crop, and the pickle market receives the benefit

of a steady supply.

HOW BRINING PRESERVES VEGETABLES

When vegetables are placed in brine the juices and soluble material contained in them are drawn out by the force known as osmosis.

The fermentable sugar present in all fruits and vegetables, which is one of the soluble substances extracted by osmotic action, serves as food for the lactic-acid bacteria which break it

down into lactic acid and certain volatile acids. In some vegetables, like cucumbers and cabbage, where the supply of sugar is ample and other conditions are favorable to the growth of the lactic bacteria, a decided acid formation takes place, constituting a distinct fermentation. The acid brine thus formed acts upon the vegetable tissues, bringing about the changes in color, taste, and texture which mark the pickled state.

As a rule, a solution of salt is used, although some vegetables quickly give up enough moisture to convert dry salt into brine. Salt also hardens or makes firm the vegetables placed in brine and checks the action of organisms which

might otherwise destroy the plant tissues.

Cabbage is well preserved in its own brine in the form of sauerkraut. Other vegetables and some fruits may, under certain conditions, be economically preserved by brining. As a rule, however, canning is preferable for these products, because food values and natural flavors are better preserved by that method. Lack of time, a shortage of cans, or an oversupply of raw material may justify the preservation of vegetables other than cucumbers and cabbage by curing in brine.

EQUIPMENT FOR BRINING AND PICKLING

Stone jars are the most convenient and desirable receptacles ([fig. 1](#)) for making small quantities of pickles. Stoneware is much more easily kept clean and absorbs objectionable odors and flavors to a smaller extent than wood. Straight-side, open-top jars, which come in practically all sizes, from 1 to 20 gallons, are best for this purpose. Those used for the directions given in this bulletin are 4-gallon jars which hold about 12 pounds (one-

fourth bushel) of cucumbers. If only very small quantities of pickles are put up, wide-mouth bottles or glass jars will do.



FIG. 1.—Some suitable containers for home-brined products

Water-tight kegs or barrels are best for making larger quantities of pickles. Those used for the directions given in this bulletin are barrels holding from 40 to 45 gallons. They must first be

washed, or possibly charred, to remove all undesirable odors and flavors. Undesirable flavors may be removed by using solutions of potash or soda lye. A strong solution of lye should remain in the barrel for several days, after which the barrel should be thoroughly soaked and washed with hot water until the lye is removed.

Boards about an inch thick make the best covers. These may be of any kind of wood, except yellow or pitch pine, which would give the pickles an undesirable flavor. They should be from 1 to 2 inches less in diameter than the inside of the jar or barrel, so that they may be easily removed. Dipping the covers in paraffin and then burning

them over with a flame fills the pores of the wood, thus making it comparatively easy to keep them clean. Heavy plates of suitable size may be used instead of boards as covers for small containers.

A clean white cloth is often needed to cover the material in the jar or barrel. Two or three thicknesses of cheesecloth or muslin, cut in circular form, and about 6 inches larger in diameter than the inside of the receptacle, makes a suitable covering. Sometimes grape, beet, or cabbage leaves are used for this purpose. Grape leaves are a good covering for dill pickles, and cabbage leaves for sauerkraut.

In addition to the jars, crocks, or kegs in which the pickles are made, 2-quart glass jars are needed for packing the finished product. If corks are used for sealing such containers, they should first be dipped in hot paraffin.


When vegetables which have been fermented in a weak brine are to be kept for any length of time, air must be excluded from them. This may be done by sealing the containers with paraffin, beeswax, or oil. Paraffin, the cheapest and probably the best of these three substances, is easily handled and readily separated from the pickles when they are removed from the containers. To remove any dirt, the paraffin should be heated and strained

through several thicknesses of cheesecloth. Thus the paraffin may be used over and over again. The clean paraffin is melted and poured over the surface of the pickles in quantities sufficient to make, when hardened, a solid coating about half an inch thick. Where there are vermin, lids should be placed over the paraffin in jars and other covers should be placed over the paraffin in kegs. If applied before active fermentation has stopped, the seal may be broken by the formation of gas below the layer, making it necessary to remove the paraffin, heat it again, and once more pour it over the surface.

In many cases a safer and better

plan for preserving vegetables fermented in a weak brine is to transfer the pickled product to glass jars as soon as fermentation is completed and seal tightly.

Almost anything which furnishes the required pressure will serve as a weight to hold the mass down in a jar or keg. Clean stones (except limestone) and bricks are recommended.



A pair of kitchen scales and suitable vessels for determining liquid measure are, of course, essential.

The salinometer, an instrument for measuring the salt strength of a brine, is very useful, although not absolutely necessary, in brining ([fig. 1](#)). By following the directions given here it will be possible to make brines of the required strength without the use of this instrument. Results may be readily checked, however, and any changes in brine strength which occur from time to time may be detected by the use of the salinometer.

The salinometer scale is graduated into 100 degrees, which indicate the range of salt concentration between 0°, the reading for pure water at 60° F; and 100°, which indicates a saturated salt solution (26½ per cent). Table 1 ([page 14](#)) shows the relation between salinometer readings and salt percentages.

Salinometers are sold for about \$1 each by firms dealing in chemical apparatus and supplies.

A sugar hydrometer is very useful in all canning and pickling work. Either the Brix or Balling scale may be used. Both read directly in percentages of sugar in a pure sugar solution. A

Balling hydrometer, graduated from 0° to 70°, is a convenient instrument for the tests indicated in this bulletin.

SUPPLIES FOR BRINING AND PICKLING

SALT

Fine table salt is not necessary. What is known as common fine salt, or even coarser grades, may be used. Caked or lumpy salt can not be equally distributed. Salt to which anything has been added to prevent caking is not

recommended for pickling and brining. Alkaline impurities in the salt are especially objectionable. Any noncaking salt which contains less than 1 per cent of the carbonates or bicarbonates of sodium, calcium, or magnesium may be used for this purpose.

VINEGAR

A good, clear vinegar of 40 to 60 grain strength (4 to 6 per cent acetic acid) is required in making sour, sweet, and mixed pickles, and is sometimes used for dill pickles. Many pickle manufacturers prefer distilled vinegar, as it is colorless and free from

sediment. If fruit vinegars are used they should first be filtered to remove all sediment.

SUGAR

Granulated sugar should be used in making sweet pickles. The quantity of sugar required for each gallon of vinegar in making sweet liquors is shown in Table 3 ([p. 15](#)).

SPICES

Spices are used to some extent in making nearly all kinds of pickles, but chiefly for sweet, mixed, and dill pickles. Various combinations are

used, depending on the kind of pickles to be made and the flavor desired.

Peppers (black and cayenne), cloves, cinnamon, celery seed, caraway, dill herb, mustard (yellow), allspice, cardamom, bay leaves, coriander, turmeric, and mace, are the principal whole spices for this purpose. Ginger and horse-radish root are used sometimes. All of these spices may be purchased in bulk and mixed as desired. Mixed whole spices, specially prepared for pickling purposes, sold in the stores, are, as a rule, satisfactory. Care should be taken to see that they are of proper strength.

Oil spices may be desirable under

some circumstances, but their effect is not so lasting as that of the whole spices.

Turmeric has been much used in both the commercial and household preparation of pickles. While some of its qualities entitle it to be classed among the spices, it does not rank in importance as such with the others named. It is employed largely because of its supposed effect on the color of pickles, which is probably overestimated.

Dill herb is practically always used with cucumbers when they are fermented in a weak brine and often with other vegetables fermented in this

way. It gives the pickle a distinct flavor which is very popular. The dill herb, a native of southern Europe, can be grown in nearly all parts of the United States and usually is obtainable in the markets of the larger cities. While the entire stalk of the dill herb is of value for flavoring, the seeds are best suited for imparting the desired flavor. For this reason the crop should be harvested only after the seeds have become fully mature but are not so ripe that they fall off. The herb may be used green, dried, or brined. When green or brined dill is used, twice as much by weight as would be required if the dried herb were used is taken. Dill retains its flavor for a long time when

brined. To preserve it in this way it should be packed in a 60° brine, or in an 80° brine if it is to be kept for a long time. Dill brine is as good as the herb for flavoring.

CUCUMBER PICKLES

Because of their shape, firmness, or keeping quality some varieties of cucumbers are better adapted for making pickles than others. Among the best of the pickling varieties are the Chicago Pickling, Boston Pickling, and Snow's Perfection. Cucumbers of practically all varieties, sizes, and

shapes, however, make good pickles.^[1]

^[1] Information on the cultivation of cucumbers, and the diseases and enemies which attack them, may be obtained from the United States Department of Agriculture.

Cucumbers to be pickled should retain from one-eighth to one-fourth inch of their stems, and they should not be bruised. If dirty they should be washed before brining. They should be placed in brine not later than 24 hours after they have been gathered.

Cucumbers contain approximately 90 per cent of water. As this large water content reduces materially the

salt concentration of any brine in which they are fermented, it is necessary to add an excess of salt at the beginning of a fermentation in the proportion of 1 pound for every 10 pounds of cucumbers.

The active stage of cucumber fermentation continues for 10 to 30 days, depending largely on the temperature at which it is conducted. The most favorable temperature is 86° F.

Practically all the sugar withdrawn from the cucumbers is utilized during the stage of active fermentation, at the end of which the brine reaches its highest degree of acidity. During this

period the salt concentration should not be materially increased: for, although the lactic bacteria are fairly tolerant of salt, there is a limit to their tolerance. The addition of a large quantity of salt at this time would reduce their acid-forming power just when this is essential to a successful fermentation. Salt, therefore, should be added gradually over a period of weeks.

SALT PICKLES

Salt pickles, or salt stock, are made by curing cucumbers in a brine which should contain not less than 9.5 per cent of salt (approximately 36° on the salinometer scale) at the start. Not only

must the brine be kept at this strength, but salt should be added until it has a concentration of about 15 per cent (60° on the salinometer scale). If well covered with a brine of this strength, the surface of which is kept clean, pickles will keep indefinitely.

Proper curing of cucumbers requires from six weeks to two months, or possibly longer, according to the temperature at which the process is carried out and the size and variety of the cucumbers. Attempts to use short cuts or to make pickles overnight, as is sometimes advised, are based on a mistaken idea of what really constitutes a pickle.

Curing of cucumbers is marked by an increased firmness, a greater degree of translucency, and a change in color from pale green to dark or olive green. These changes are uniform throughout the perfectly cured specimen. So long as any portion of a pickle is whitish or opaque it is not perfectly cured.

After proper processing in water, salt pickles may be eaten as such or they may be converted into sour pickles ([p. 7](#)), sweet pickles ([p. 8](#)), or mixed pickles ([p. 10](#)).

SMALL QUANTITIES

Pack the cucumbers in a 4-gallon

jar and cover with 6 quarts of a 10 per cent brine (40° on salinometer scale). At the time of making up the brine, or not later than the following day, add more salt at the rate of 1 pound for every 10 pounds of cucumbers used—in this case 1 pound and 3 ounces. This is necessary to maintain the strength of the brine.

Cover with a round board or plate that will go inside the jar, and on top of this place a weight heavy enough to keep the cucumbers well below the surface of the brine.

At the end of the first week, and at the end of each succeeding week for five weeks, add one-fourth pound of

salt. In adding salt always place it on the cover. If it is added directly to the brine, it may sink, as a result of which the salt solution at the bottom will be very strong, while that near the surface may be so weak that the pickles will spoil.

A scum, made up usually of wild yeasts and molds, forms on the surface. As this may prove injurious by destroying the acidity of the brine, remove it by skimming.

LARGE QUANTITIES

Put into a barrel 5 to 6 inches of a 40° brine ([Table 1, p. 14](#)) and add 1

quart of good vinegar. In this brine place the cucumbers as they are gathered. Weigh the cucumbers each time before they are added. Put a loose-fitting wooden cover over the cucumbers and weight it down with a stone heavy enough to bring the brine over the cover. After the cover and stone have been replaced add to the brine over the cover 1 pound of salt for every 10 pounds of cucumbers.

Unless the cucumbers are added too rapidly, it will be unnecessary to add more brine, for when a sufficient weight is maintained on the cover the cucumbers make their own brine. If, however, the cucumbers are added rapidly, or if the barrel is filled at once,

more brine may be required. In such a case, add enough of the 40° brine to cover the cucumbers.

When the barrel is full, add 3 pounds of salt each week for five weeks (15 pounds to a 45-gallon barrel). In adding the salt, place it on the cover. Added in this way it goes into solution slowly, insuring a brine of uniform strength throughout and a gradually increasing salt concentration. Thus, shriveling of the pickles is prevented to a great extent and the growth and activity of the lactic bacteria are not seriously checked.

Stirring or agitation of the brine may be harmful for the reason that the

introduction of air bubbles is conducive to the growth of spoilage bacteria.

From time to time remove the scum which forms on the surface.

Where cucumbers are grown extensively for the production of pickles, curing is done in large tanks at salting stations. While it involves certain details of procedure not required in barrel quantities, this method of curing is essentially the same.

PROCESSING

After being cured in brine, pickles

must receive a processing in water to remove the excess of salt. If they are to be used as salt pickles, only a partial processing is required. If, however, they are to be made into sour, sweet, or mixed pickles, the salt should be largely, but not completely, removed. Pickles keep better when the salt is not entirely soaked out.

Under factory conditions, processing is accomplished by placing the pickles in tanks, which are then filled with water and subjected to a current of steam, the pickles being agitated meanwhile. In most homes, however, the equipment for such treatment is not available.

The best that can be done in the home is to place the pickles in a suitable vessel, cover them with water, and heat them slowly to about 120° F., at which temperature they should be held for from 10 to 12 hours, being stirred frequently. The water is then poured off, and the process is repeated, if necessary, until the pickles have only a slightly salty taste.

SORTING

After processing, the pickles should be sorted. To secure the most attractive product, pickles should be as nearly as possible of uniform size. At least three sizes are recognized—small (2 to 3

inches long) , medium (3 to 4 inches long), and large (4 inches or longer). Only the small sizes are selected for bottling. Fairly small and medium-large cucumbers are well adapted to the making of sweet pickles. The larger sizes may be used for sour and dill pickles. Imperfectly formed pickles, the so-called crooks and nubs, can be cut up and added to mixed pickles or other combinations of which cucumbers form a part. The number of pickles of various sizes required to make a gallon is shown in [Table 4, page 16](#).

SOUR PICKLES

After pickles have been processed sufficiently, drain them well and cover them at once with vinegar. A 45 or 50 grain vinegar usually gives all the sourness that is desirable. If, however, very sour pickles are preferred, it would be well to use at first a 45-grain vinegar, and after a week or 10 days transfer the pickles to a vinegar of the strength desired. As the first vinegar used will in all cases be greatly reduced in strength by dilution with the brine contained in the pickles, it will be necessary to renew the vinegar after a few weeks. If this is not done and the pickles are held for any length of time they may spoil.

The best containers for sour pickles

are stone jars, or, for large quantities, kegs or barrels. Covered with a vinegar of the proper strength, pickles should keep indefinitely.

SWEET PICKLES

Cover the cured and processed cucumbers with a sweet liquor made by dissolving sugar in vinegar, usually with the addition of spices. Depending upon the degree of sweetness desired, the quantity of sugar may vary from 4 to 10 pounds to the gallon of vinegar, 6 pounds to the gallon usually giving satisfactory results. The chief difficulty in making sweet pickles is their tendency to become shriveled and

tough, which increases with the sugar concentration of the liquor. This danger can usually be avoided by covering the pickles first with a plain 45 to 50 grain vinegar. After one week discard this vinegar, which in all probability has become greatly reduced in strength, and cover with a liquor made by adding 4 pounds of sugar to the gallon of vinegar. It is very important that the acidity of the liquor used on pickles be kept as high as possible. A decrease in acidity much below a 30-grain strength may permit the growth of yeasts, with resulting fermentation and spoilage.

If a liquor containing more than 4 pounds of sugar to the gallon is desired, it would be best not to exceed

that quantity at first, but gradually add sugar until the desired concentration is obtained. A sugar hydrometer readily and accurately indicates the sugar concentration ([p. 4](#)). A reading of 42° (Brix or Balling) would indicate a concentration of approximately 6 pounds of sugar to the gallon of vinegar. ([Table 3, p. 15.](#))

Spices are practically always added in making sweet pickles. The effect of too much spice, especially the stronger kinds, like peppers and cloves, however, is injurious. One ounce of whole mixed spices to 4 gallons of pickles is enough. As spices may cause cloudiness of the vinegar, they should be removed after the desired flavor has

been obtained. Heating is an aid to a better utilization of the spice. Add the required quantity of spice, in a cheesecloth bag, to the vinegar and hold at the boiling point for not longer than half an hour. Heating too long causes the vinegar to darken. If considered desirable, add sugar at this time, and pour at once over the pickles.

If the pickles are to be packed in bottles or jars, after such preliminary treatment as may be required, transfer them to these containers and cover them with a liquor made as desired.

DILL PICKLES

The method for making dill pickles differs from that for making salt pickles in two important particulars. A much weaker brine is used, and spices, chiefly dill, are added.

Because of the weaker salt concentration, a much more rapid curing takes place. As a result they can be made ready for use in about half the time required for ordinary brined pickles. This shortening of the period of preparation, however, is gained at the expense of the keeping quality of the product. For this reason it is necessary to resort to measures which will prevent spoilage.

SMALL QUANTITIES

Place in the bottom of the jar a layer of dill and one-half ounce of mixed spice. Then fill the jar, to within 2 or 3 inches of the top, with washed cucumbers of as nearly the same size as practicable. Add another half ounce of spice and layer of dill. It is a good plan to place over the top a layer of grape leaves. In fact, it would be well to place these at both the bottom and top. They make a very suitable covering and have a greening effect on the pickles.

Pour over the pickles a brine made as follows: Salt, 1 pound; vinegar, 1

pint ; water, 2 gallons. Never use a hot brine at the beginning of a fermentation. The chances are that it would kill the organisms present, thus preventing fermentation.

Cover with a board cover or plate with sufficient weight on top to hold the cucumbers well below the brine.

If the cucumbers are packed at a temperature around 86° F., an active fermentation will at once set in. This should be completed in 10 days to 2 weeks, if a temperature of about 86° F. is maintained. The scum which soon forms on the surface and which consists usually of wild yeasts, but often contains molds and bacteria,

should be skimmed off.

After active fermentation has stopped, it is necessary to protect the pickles against spoilage. This may be done in one of two ways:

(1) Cover with a layer of paraffin. This should be poured while hot over the surface of the brine or as much of it as is exposed around the edges of the board cover. When cooled this forms a solid coating which effectually seals the pickles.

(2) Seal the pickles in glass jars or cans. As soon as they are sufficiently cured, which may be determined by their agreeable flavor and dark-green

color, transfer them to glass jars, and fill either with their own brine or with a fresh brine made as directed. Add a small quantity of dill and spice. Bring the brine to a boil, and, after cooling to about 160° F., pour it over the pickles, filling the jars full. Seal the jars tight.

The plan of preserving dill pickles by sealing in jars has the merit of permitting the use of a small quantity without the necessity of opening and resealing a large bulk, as is the case when pickles are packed in large containers and sealed with paraffin.

LARGE QUANTITIES

Fill a barrel with cucumbers. Add 6 to 8 pounds of green or brined dill, or half that quantity of dry dill, and 1 quart of mixed spices. If brined dill is used, it is well to add about 2 quarts of the dill brine. The dill and spices should be evenly distributed at the bottom, middle, and top of the barrel. Also add 1 gallon of good vinegar.^[2]

^[2] This addition of vinegar is not essential, and many prefer not to use it. In the proportion indicated, however, it is favorable to the growth of the lactic bacteria and helps to prevent the growth of spoilage organisms. Its use, therefore, is to be regarded with favor. Some prefer to omit the mixed spices for the reason that

they interfere with the distinctive flavor of the dill herb.

Head up tight and, through a hole bored in the head, fill the barrel with a brine made in the proportion of one-half pound of salt to a gallon of water. Add brine until it flows over the head and is level with the top of the chime. Maintain this level by adding brine from time to time. Remove the scum which soon forms on the surface.

During the period of active fermentation, keep the barrel in a warm place and leave the hole in the head open to allow gas to escape. When active fermentation is over, as indicated by the cessation of bubbling

and frothing on the surface, the barrel may be plugged tight and placed in storage, preferably in a cool place. Leakage and other conditions may cause the brine in a barrel of pickles to recede at any time. The barrels should be inspected occasionally, and more brine added if necessary. Pickles put up in this way should be ready for use within about six weeks.

When pickles are to be held in storage a long time, a 28° brine, made by adding 10 ounces of salt to a gallon of water, should be used. Pickles packed in a brine of this strength will keep a year, if the barrels are kept filled and in a cool place. The important factor in preserving pickles

put up in a weak brine, such as is ordinarily used for dill pickles, is the exclusion of air. When put up in tight barrels this is accomplished by keeping the barrels entirely filled with brine.

MIXED PICKLES

Onions, cauliflower, green peppers, tomatoes, and beans, as well as cucumbers, are used for making mixed pickles. All vegetables should first be cured in brine.

For making mixed pickles, very small vegetables are much to be preferred. If larger ones must be used, first cut them into pieces of a desirable

and uniform shape and size. Place in the bottom of each wide-mouth bottle or jar a little mixed spice. In filling the bottle arrange the various kinds of pickles in as neat and orderly a manner as possible. The appearance of the finished product depends largely upon the manner in which they are packed in the bottle. Do not completely fill the bottles.

If sour pickles are desired, fill the bottles completely with a 45-grain vinegar. If sweet ones are wanted, fill with a liquor made by dissolving 4 to 6 pounds of sugar in a gallon of vinegar.

Seal tight, and label properly.

SAUERKRAUT

For making sauerkraut in the home, 4 or 6 gallon stone jars are considered the best containers, unless large quantities are desired, in which case kegs or barrels may be used.

Select only mature, sound heads of cabbage. After removing all decayed or dirty leaves, quarter the heads and slice off the core portion. For shredding, one of the hand-shredding machines which can be obtained on the market is much the best, although an ordinary slaw cutter or a large knife will do.

In making sauerkraut the fermentation is carried out in a brine

made from the juice of the cabbage which is drawn out by the salt. One pound of salt for every 40 pounds of cabbage makes the proper strength of brine to produce the best results. The salt may be distributed as the cabbage is packed in the jar or it may be mixed with the shredded cabbage before being packed. The distribution of 2 ounces of salt with every 5 pounds of cabbage probably is the best way to get an even distribution.

Pack the cabbage firmly, but not too tightly, in the jar or keg. When full, cover with a clean cloth and a board or plate. On the cover place a weight heavy enough to cause the brine to come up to the cover.

If the jar is kept at a temperature of about 86° F., fermentation will start promptly. A scum soon forms on the surface of the brine. As this scum tends to destroy the acidity and may affect the cabbage, it should be skimmed off from time to time.

If kept at 86° F., the fermentation should be completed in six to eight days.

A well-fermented sauerkraut should show a normal acidity of approximately +20, or a lactic acid percentage of 1.8 ([p. 16](#)).

After fermentation is complete, set the sauerkraut in a cool place. If the

cabbage is fermented late in the fall, or if it can be stored in a very cool place, it may not be necessary to do more than keep the surface skimmed and protected from insects, etc.; otherwise it will be necessary to resort to one of the following measures to prevent spoilage:

(1) Pour a layer of hot paraffin over the surface, or as much of it as is exposed around the cover. Properly applied to a clean surface, this effectually seals the jar and protects the contents from contamination.

(2) After the fermentation is complete, pack the sauerkraut in glass jars, adding enough of the "kraut"

brine, or a weak brine made by adding an ounce of salt to a quart of water, to completely fill the jars. Seal the jars tight, and set them away in a cool place.

The second method is much to be preferred to the first. Sauerkraut properly fermented and stored in this way has kept throughout a season in good condition. Placing the jars before sealing in a water bath and heating until the center of the jar shows a temperature of about 160° F. gives an additional assurance of good-keeping quality of the "kraut."

In the commercial canning of sauerkraut, where conditions and

length of storage can not be controlled, heat must always be used.

FERMENTATION AND SALTING OF VEGETABLES OTHER THAN CUCUMBERS AND CABBAGE

There are three methods of preserving vegetables by the use of salt:

FERMENTATION IN AN ADDED BRINE

Experiments have shown that string beans, green tomatoes, beets, chayotes, mango melons, burr gherkins, cauliflower, and corn (on cob) may be well preserved in a 10 per cent brine (40° on the salinometer scale) for several months. Peppers and onions are better preserved in an 80° brine. The brine must be maintained at its original strength by the addition of salt, and the surface of the brine must be kept free from scum. Some of the vegetables listed, notably string beans and green tomatoes, are well adapted to fermentation in a weak brine (5 per

cent salt), in which case dill and other spices may be added. The general directions given for dill pickles ([p. 8](#)) should be followed.

FERMENTATION IN BRINE PRODUCED BY DRY SALTING

This method, of course, can be used only for vegetables which contain enough water to make their own brine. String beans, if young and tender, may be preserved in this way. Remove tips and strings, and, if the pods are large, break them in two. Older beans, and doubtless other vegetables, could be

preserved by this method if first shredded in the same manner as cabbage ([p. 10](#)). Use salt equal to 3 per cent of the weight of the vegetables (1 ounce salt to about 2 pounds vegetables).

SALTING WITHOUT FERMENTATION

Enough salt to prevent all bacterial action must be added. Wash and weigh the vegetables. Mix with them thoroughly one-fourth their weight of salt. If after the addition of pressure there is not enough brine to cover the product, add brine made by dissolving 1 pound of salt in 2 quarts of water. As

soon as bubbling ceases, protect the surface by covering with paraffin. This method is especially well adapted to vegetables in which the sugar content is too low to produce a successful fermentation, such as chard, spinach, and dandelions. Corn can also be well preserved in this way. Husk it and remove the silk. Cook it in boiling water for 10 minutes, to set the milk. Then cut the corn from the cob with a sharp knife, weigh it, and pack it in layers, with one-fourth its weight of fine salt.

The methods of preservation outlined are not limited to vegetables. Solid fruits, like clingstone peaches and Kieffer pears, can be preserved in

an 80° brine for as long as six months. After the salt has been soaked out, they may be worked up into desirable products by the use of spices, vinegar, sugar, etc. Soft fruits, like Elberta peaches and Bartlett pears, are best preserved in weak vinegar (2 per cent acetic acid).^[3]

^[3] Report of an investigation in the Bureau of Chemistry on the utilization of brined products, by Rhea C. Scott, 1919.

CAUSES OF FAILURE

SOFT OR SLIPPERY PICKLES

A soft or slippery condition, one of the most common forms of spoilage in making pickles, is the result of bacterial action. It always occurs when pickles are exposed above the brine and very often when the brine is too weak to prevent the growth of spoilage organisms. To prevent it keep the pickles well below the brine and the brine at the proper strength. To keep pickles for more than a very few weeks a brine should contain 10 per cent of salt. Once pickles have become soft or slippery as a result of bacterial action no treatment will restore them to a

normal condition.

HOLLOW PICKLES

Hollow pickles may occur during the process of curing. This condition, however, does not mean a total loss, for hollow pickles may be utilized in making mixed pickles or certain forms of relish. While there are good reasons to believe that hollow pickles are the result of a faulty development or nutrition of the cucumber, there is also a strong probability that incorrect methods may contribute to their formation. One of these is allowing too long a time to intervene between gathering and brining. This period

should not exceed 21 hours.

Hollow pickles frequently become floaters. Sound cucumbers properly cured do not float, but any condition which operates to lower their relative weight, such as gaseous distention, may cause them to rise to the surface.

EFFECT OF HARD WATER

So-called hard waters should not be used in making a brine. The presence of large quantities of calcium salts and possibly other salts found in many natural waters may prevent the proper acid formation, thus interfering with

normal curing. The addition of a small quantity of vinegar serves to overcome alkalinity when hard water must be used. If present in any appreciable quantity, iron is objectionable, causing a blackening of the pickles under some conditions.

SHRIVELING

Shriveling of pickles often occurs when they have been placed at once in very strong salt or sugar solutions, or even in very strong vinegars. For this reason avoid such solutions so far as possible. When a strong solution is desirable the pickles should first be given a preliminary treatment in a

weaker solution. This difficulty is most often encountered in making sweet pickles. The presence of sugar in high concentrations is certain to cause shriveling unless

EFFECT OF TOO MUCH SALT ON SAUERKRAUT

Perhaps the most common cause of failure in making sauerkraut is the use of too much salt. The proper quantity is 2| per cent by weight of the cabbage packed. When cabbage is to be fermented in very warm weather it may be well to use a little more salt. As a rule, however, this should not exceed 3 per cent. In applying the salt see that it

is evenly distributed. The red streaks which are sometimes seen in sauerkraut are believed to be due to uneven distribution of salt.

EFFECT OF SCUM

Spoilage of the top layers of vegetables fermented in brine is sure to occur unless the scum which forms on the surface is frequently removed. This scum is made up of wild yeasts, molds, and bacteria, which, if allowed to remain, attack and break down the vegetables beneath. They may also weaken the acidity of the brine, in which way they may cause spoilage. The fact that the top layers have

spoiled, does not necessarily mean, however, that all in the container are spoiled. The molds and other organisms which cause the spoilage do not quickly get down to the lower layers. The part found in good condition often may be saved by carefully removing the spoiled part from the top, adding a little fresh brine, and pouring hot paraffin over the surface.

EFFECT OF TEMPERATURE

Temperature has an important bearing on the success of a lactic fermentation. The bacteria which are

essential in the fermentation of vegetable foods are most active at a temperature of approximately 86° F., and as the temperature falls below this point their activity correspondingly diminishes. It is essential, therefore, that the foods be kept as close as possible to 86° F. at the start and during the active stages of a fermentation. This is especially important in the production of sauerkraut, which is often made in the late fall or winter. The fermentation may be greatly retarded or even stopped by too low a temperature.

After the active stages of a fermentation have passed, store the food in a cool place. Low temperatures

are always an aid in the preservation of food products.

COLORING AND HARDENING AGENTS

To make what is thought to be a better looking product, it is the practice in some households to "green" pickles by heating them with vinegar in a copper vessel. Experiments have shown that in this treatment copper acetate is formed, and that the pickles take up very appreciable quantities of it. *Copper acetate is poisonous.*

By a ruling of the Secretary of Agriculture, made July 12, 1912, foods greened with copper salts, all of which are poisonous, will be regarded as adulterated.

Alum is often used for the purpose presumably of making pickles firm. The use of alum in connection with food products is of doubtful expediency, to say the least. If the right methods are followed in pickling, the salt and acids in the brine will give the desired firmness. The use of alum, or any other hardening agent, is unnecessary.

TABLES AND TESTS

TABLE 1.—*Salt percentages, corresponding salinometer readings, and quantity of salt required to make 6 quarts of brine*

| Salt in solution | Salinometer reading | Salt in 6 quarts of finished brine |
|------------------|---------------------|------------------------------------|
| <i>Per cent</i> | <i>Degrees</i> | <i>Ounces</i> |
| 1.06 | 4 | 2 |
| 2.12 | 8 | 4¼ |
| 3.18 | 12 | 6½ |
| 4.24 | 16 | 8½ |
| 5.3 | 20 | 11 |
| 7.42 | 28 | 14½ |
| 8.48 | 32 | 18 |
| 9.54 | 36 | 20 |
| 10.6 | 40 | 22½ |

| | | |
|------|-----|----|
| 15.9 | 60 | 35 |
| 21.2 | 80 | 48 |
| 26.5 | 100 | 64 |

The figures given in the first two columns of [Table 1](#) are correct. Those in the last column are correct within the possibilities of ordinary household methods. To make up a brine from this table, the required quantity of salt is dissolved in a smaller volume of water and water is added to make up as nearly as possible to the required 6 quarts.

One pound of salt dissolved in 9 pints of water makes a solution with a salinometer reading of 40° , or approximately a 10 per cent brine. In a

brine of this strength, fermentation proceeds somewhat slowly. Pickles kept in a brine maintained at this strength will not spoil. One-half pound of salt dissolved in 9 pints of water makes approximately a 5 per cent brine, with a salinometer reading of 20° . A brine of this strength permits a rapid fermentation, but vegetables kept in such a brine will spoil within a few weeks if air is not excluded.

A brine in which a fresh egg just floats is approximately a 10 per cent solution.

Fermentation takes place fairly well in brines of 40° strength, and will, to some extent at least, up to 60° . At

80° all fermentation stops.

The volume of brine necessary to cover vegetables is about half the volume of the material to be fermented. For example, if a 5-gallon keg is to be packed, 2½ gallons of brine is required.

TABLE 2.—*Freezing point of brine at different salt concentrations*

| Salt | Salinometer | Freezing |
|-----------------|----------------|-------------|
| <i>Per cent</i> | reading | temperature |
| | <i>Degrees</i> | <i>°F</i> |
| 5 | 20 | 25.2 |
| 10 | 40 | 18.7 |
| 15 | 60 | 12.2 |
| 20 | 80 | 6.1 |

25

100

0.5

TABLE 3.—*Density of sugar sirup*

Density Quantity of
 sugar for
 each gallon
 of water^[4]

*Degrees**Brix or**Balling* Lbs. Ozs.

5

7

10

14.8

15

1

7.5

20

1

14.75

25

2

12.5

30

3

9

| | | |
|----|----|------|
| 40 | 5 | 8.75 |
| 45 | 6 | 13 |
| 50 | 8 | 5.25 |
| 55 | 10 | 4 |
| 60 | 12 | 8 |

[4] When vinegar is used, the equivalent sugar hydrometer reading would be about 2 degrees higher than that indicated in the table.

TABLE 4.—*Number of cucumbers of various sizes required to make a gallon of pickles*

| Size | Variety | Number to a gallon |
|--------------------|-------------------------|--------------------|
| 1 to 2 inches long | Gherkins ^[5] | 250 to 650 |
| 2 to 3 inches long | Small pickles | 130 to 250 |
| 3 to 4 inches long | Medium pickles | 40 to 130 |

4 inches and Large pickles 12 to 40 longer

[5] Small pickles are usually designated as gherkins. Those of very small size are sometimes called midgets.

The maximum acidity formed by a lactic fermentation of vegetables in brine varies from 0.25 to 2 per cent. The maximum is reached at or soon after the close of the active stage of fermentation. After this the acidity usually decreases slowly. The stage of active fermentation continues for from one to three weeks, depending upon the temperature, strength of brine, etc. During this period gas is formed and froth appears on the surface, owing to

the rising of gas bubbles. At the close of this period the brine becomes "still."

The quantity of acid formed depends primarily upon the sugar content of the vegetables fermented, but it may be influenced by other factors.

Dipping a piece of blue litmus paper (obtainable at drug stores) in the brine will show whether the brine is acid. If the paper turns pinkish or red, the brine is acid, but the litmus paper does not give a definite indication of the degree of acidity.

For those who want to know accurately what the degree of acidity is

the following method is outlined:

With a pipette transfer exactly 5 cubic centimeters of the brine to a small evaporating dish. To this add 45 cubic centimeters of distilled water and 1 cubic centimeter of a 0.5 per cent solution of phenolphthalein in 50 per cent alcohol. Then run in slowly a one-twentieth normal sodium hydrate solution. This is best done by using a 25 cubic centimeter burette, graduated in tenths. As the sodium hydrate is being added stir constantly, and note carefully when the entire liquid shows a faint pink tint. This indicates that the neutral point has been reached. Read off carefully the exact quantity of sodium hydrate required to neutralize

the mixture in the dish. This number multiplied by 0.09 gives the number of grams of acid per 100 cubic centimeters, calculated as lactic, present in the brine.

This method can be used to determine the acid strength of vinegars. Multiply by 0.06 to ascertain the number of grams of acetic acid per 100 cubic centimeters present in the vinegar.

The apparatus and chemicals needed for this test can be obtained from any firm dealing in chemical apparatus and supplies.

ORGANIZATION OF THE UNITED STATES DEPARTMENT OF AGRICULTURE

*Secretary of
Agriculture*

HENRY C. WALLACE.

*Assistant
Secretary*

HOWARD M. GORE.

*Director of
Scientific*

WORK E. D. BALL.

*Director of
Regulatory Work*

WALTER G. CAMPBELL.

*Director of
Extension Work*

C. W. WARBURTON.

| | |
|---|-------------------------------------|
| <i>Solicitor</i> | R. W. WILLIAMS. |
| <i>Weather Bureau</i> | CHARLES F. MARVIN, <i>Chief.</i> |
| <i>Bureau of Agricultural Economics</i> | HENRY C. TAYLOR, <i>Chief.</i> |
| <i>Bureau of Animal Industry</i> | JOHN R. MOHLER, <i>Chief.</i> |
| <i>Bureau of Plant Industry</i> | WILLIAM A. TAYLOR, <i>Chief.</i> |
| <i>Forest Service</i> | W. B. GREELEY. <i>Chief.</i> |
| <i>Bureau of Chemistry</i> | C. A. BROWNE, <i>Chief.</i> |
| <i>Bureau of Soils</i> | MILTON WHITNEY. <i>Chief.</i> |
| <i>Bureau of Entomology</i> | L. O. HOWARD, <i>Chief.</i> |

| | |
|---|---|
| <i>Bureau of Biological Survey</i> | E. W. NELSON, <i>Chief.</i> |
| <i>Bureau of Public Roads</i> | THOMAS H. MACDONALD, <i>Chief.</i> |
| <i>Bureau of Home Economics</i> | LOUISE STANLEY. <i>Chief.</i> |
| <i>Bureau of Dairying</i> | C. W. LARSON, <i>Chief.</i> |
| <i>Office of Experiment Stations</i> | E. W. ALLEN. <i>Chief.</i> |
| <i>Fixed Nitrogen Research Laboratory</i> | F. G. COTTRELL, <i>Director.</i> |
| <i>Publications</i> | L. J. HAYNES, <i>In Charge.</i> |
| <i>Library</i> | CLARIBEL R. BARNETT. <i>Librarian.</i> |

*Federal
Horticultural
Board*

C. L. MARLATT,
Chairman.

*Insecticide and
Fungicide Board*

J. K. HAYWOOD.
Chairman.

*Packers and
Stockyards
Administration
Grain Futures
Administration*

CHESTER MORRILL,
} *Assistant to the
Secretary.*

This bulletin is a contribution from
Bureau of Chemistry C. A. BROWNE,
Chief.
Microbiological Laboratory

CHARLES THOU, *Mycologist in Charge.*



ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE
PROCURED FROM
THE SUPERINTENDENT OF
DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT

5 CENTS PER COPY



Transcriber Notes

[Figure 1](#) was moved so that it would not split a paragraph.

LeFevre

*** END OF THIS PROJECT GUTENBERG EBOOK
USDA FARMERS' BULLETIN ***

***** This file should be named 48722-
h.htm or 48722-h.zip *****
This and all associated files of various
formats will be found in:

<http://www.gutenberg.org/4/8/7/2/48722/>

Produced by Tom Cosmas produced from
materials made
available at The Internet Archive.

Updated editions will replace the
previous one--the old editions
will be renamed.

Creating the works from public domain
print editions means that no
one owns a United States copyright in
these works, so the Foundation
(and you!) can copy and distribute it in
the United States without
permission and without paying copyright

royalties. Special rules, set forth in the General Terms of Use part of this license, apply to copying and distributing Project Gutenberg-tm electronic works to protect the PROJECT GUTENBERG-tm concept and trademark. Project Gutenberg is a registered trademark, and may not be used if you charge for the eBooks, unless you receive specific permission. If you do not charge anything for copies of this eBook, complying with the rules is very easy. You may use this eBook for nearly any purpose such as creation of derivative works, reports, performances and research. They may be modified and printed and given away--you may do practically ANYTHING with public domain eBooks. Redistribution is subject to the trademark license, especially commercial redistribution.

*** START: FULL LICENSE ***

THE FULL PROJECT GUTENBERG LICENSE
PLEASE READ THIS BEFORE YOU DISTRIBUTE
OR USE THIS WORK

To protect the Project Gutenberg-tm mission of promoting the free distribution of electronic works, by using or distributing this work (or any other work associated in any way with the phrase "Project Gutenberg"), you agree to comply with all the terms of the Full Project Gutenberg-tm License available with this file or online at www.gutenberg.org/license.

Section 1. General Terms of Use and Redistributing Project Gutenberg-tm electronic works

1.A. By reading or using any part of this Project Gutenberg-tm electronic work, you indicate that you have read, understand, agree to and accept all the terms of this license and intellectual property

(trademark/copyright) agreement. If you do not agree to abide by all the terms of this agreement, you must cease using and return or destroy all copies of Project Gutenberg-tm electronic works in your possession. If you paid a fee for obtaining a copy of or access to a Project Gutenberg-tm electronic work and you do not agree to be bound by the terms of this agreement, you may obtain a refund from the person or entity to whom you paid the fee as set forth in paragraph 1.E.8.

1.B. "Project Gutenberg" is a registered trademark. It may only be used on or associated in any way with an electronic work by people who agree to be bound by the terms of this agreement. There are a few things that you can do with most Project Gutenberg-tm electronic works even without complying with the full terms of this agreement. See paragraph 1.C below. There are a lot of things you can do with Project Gutenberg-tm electronic works if you

follow the terms of this agreement and help preserve free future access to Project Gutenberg-tm electronic works. See paragraph 1.E below.

1.C. The Project Gutenberg Literary Archive Foundation ("the Foundation" or PGLAF), owns a compilation copyright in the collection of Project Gutenberg-tm electronic works. Nearly all the individual works in the collection are in the public domain in the United States. If an individual work is in the public domain in the United States and you are located in the United States, we do not claim a right to prevent you from copying, distributing, performing, displaying or creating derivative works based on the work as long as all references to Project Gutenberg are removed. Of course, we hope that you will support the Project Gutenberg-tm mission of promoting free access to electronic works by freely sharing Project Gutenberg-tm works in compliance with the terms of this agreement for keeping the Project

Gutenberg-tm name associated with the work. You can easily comply with the terms of this agreement by keeping this work in the same format with its attached full Project Gutenberg-tm License when you share it without charge with others.

1.D. The copyright laws of the place where you are located also govern what you can do with this work. Copyright laws in most countries are in a constant state of change. If you are outside the United States, check the laws of your country in addition to the terms of this agreement before downloading, copying, displaying, performing, distributing or creating derivative works based on this work or any other Project Gutenberg-tm work. The Foundation makes no representations concerning the copyright status of any work in any country outside the United States.

1.E. Unless you have removed all references to Project Gutenberg:

1.E.1. The following sentence, with active links to, or other immediate access to, the full Project Gutenberg-tm License must appear prominently whenever any copy of a Project Gutenberg-tm work (any work on which the phrase "Project Gutenberg" appears, or with which the phrase "Project Gutenberg" is associated) is accessed, displayed, performed, viewed, copied or distributed:

This eBook is for the use of anyone anywhere at no cost and with almost no restrictions whatsoever. You may copy it, give it away or re-use it under the terms of the Project Gutenberg License included with this eBook or online at www.gutenberg.org

1.E.2. If an individual Project Gutenberg-tm electronic work is derived from the public domain (does not contain a notice indicating that it is posted with permission of the copyright holder), the work can be copied

and distributed to anyone in the United States without paying any fees or charges. If you are redistributing or providing access to a work with the phrase "Project Gutenberg" associated with or appearing on the work, you must comply either with the requirements of paragraphs 1.E.1 through 1.E.7 or obtain permission for the use of the work and the Project Gutenberg-tm trademark as set forth in paragraphs 1.E.8 or 1.E.9.

1.E.3. If an individual Project Gutenberg-tm electronic work is posted with the permission of the copyright holder, your use and distribution must comply with both paragraphs 1.E.1 through 1.E.7 and any additional terms imposed by the copyright holder. Additional terms will be linked to the Project Gutenberg-tm License for all works posted with the permission of the copyright holder found at the beginning of this work.

1.E.4. Do not unlink or detach or

remove the full Project Gutenberg-tm License terms from this work, or any files containing a part of this work or any other work associated with Project Gutenberg-tm.

1.E.5. Do not copy, display, perform, distribute or redistribute this electronic work, or any part of this electronic work, without prominently displaying the sentence set forth in paragraph 1.E.1 with active links or immediate access to the full terms of the Project Gutenberg-tm License.

1.E.6. You may convert to and distribute this work in any binary, compressed, marked up, nonproprietary or proprietary form, including any word processing or hypertext form. However, if you provide access to or distribute copies of a Project Gutenberg-tm work in a format other than "Plain Vanilla ASCII" or other format used in the official version posted on the official Project Gutenberg-tm web site

(www.gutenberg.org),
you must, at no additional cost, fee or
expense to the user, provide a
copy, a means of exporting a copy, or a
means of obtaining a copy upon
request, of the work in its original
"Plain Vanilla ASCII" or other
form. Any alternate format must include
the full Project Gutenberg-tm
License as specified in paragraph 1.E.1.

1.E.7. Do not charge a fee for access
to, viewing, displaying,
performing, copying or distributing any
Project Gutenberg-tm works
unless you comply with paragraph 1.E.8
or 1.E.9.

1.E.8. You may charge a reasonable fee
for copies of or providing
access to or distributing Project
Gutenberg-tm electronic works provided
that

- You pay a royalty fee of 20% of the
gross profits you derive from
the use of Project Gutenberg-tm
works calculated using the method

you already use to calculate your applicable taxes. The fee is owed to the owner of the Project Gutenberg-tm trademark, but he has agreed to donate royalties under this paragraph to the Project Gutenberg Literary Archive Foundation. Royalty payments must be paid within 60 days following each date on which you prepare (or are legally required to prepare) your periodic tax returns. Royalty payments should be clearly marked as such and sent to the Project Gutenberg Literary Archive Foundation at the address specified in Section 4, "Information about donations to the Project Gutenberg Literary Archive Foundation."

- You provide a full refund of any money paid by a user who notifies you in writing (or by e-mail) within 30 days of receipt that s/he does not agree to the terms of the full Project Gutenberg-tm License. You must require such a

user to return or

destroy all copies of the works
possessed in a physical medium

and discontinue all use of and all
access to other copies of

Project Gutenberg-tm works.

- You provide, in accordance with
paragraph 1.F.3, a full refund of any
money paid for a work or a
replacement copy, if a defect in the
electronic work is discovered and
reported to you within 90 days
of receipt of the work.

- You comply with all other terms of
this agreement for free
distribution of Project Gutenberg-
tm works.

1.E.9. If you wish to charge a fee or
distribute a Project Gutenberg-tm
electronic work or group of works on
different terms than are set
forth in this agreement, you must obtain
permission in writing from
both the Project Gutenberg Literary
Archive Foundation and Michael

Hart, the owner of the Project Gutenberg-tm trademark. Contact the Foundation as set forth in Section 3 below.

1.F.

1.F.1. Project Gutenberg volunteers and employees expend considerable effort to identify, do copyright research on, transcribe and proofread public domain works in creating the Project Gutenberg-tm collection. Despite these efforts, Project Gutenberg-tm electronic works, and the medium on which they may be stored, may contain "Defects," such as, but not limited to, incomplete, inaccurate or corrupt data, transcription errors, a copyright or other intellectual property infringement, a defective or damaged disk or other medium, a computer virus, or computer codes that damage or cannot be read by your equipment.

1.F.2. LIMITED WARRANTY, DISCLAIMER OF

DAMAGES - Except for the "Right of Replacement or Refund" described in paragraph 1.F.3, the Project Gutenberg Literary Archive Foundation, the owner of the Project Gutenberg-tm trademark, and any other party distributing a Project Gutenberg-tm electronic work under this agreement, disclaim all liability to you for damages, costs and expenses, including legal fees. YOU AGREE THAT YOU HAVE NO REMEDIES FOR NEGLIGENCE, STRICT LIABILITY, BREACH OF WARRANTY OR BREACH OF CONTRACT EXCEPT THOSE PROVIDED IN PARAGRAPH 1.F.3. YOU AGREE THAT THE FOUNDATION, THE TRADEMARK OWNER, AND ANY DISTRIBUTOR UNDER THIS AGREEMENT WILL NOT BE LIABLE TO YOU FOR ACTUAL, DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE OR INCIDENTAL DAMAGES EVEN IF YOU GIVE NOTICE OF THE POSSIBILITY OF SUCH DAMAGE.

1.F.3. LIMITED RIGHT OF REPLACEMENT OR REFUND - If you discover a defect in this electronic work within 90

days of receiving it, you can receive a refund of the money (if any) you paid for it by sending a written explanation to the person you received the work from. If you received the work on a physical medium, you must return the medium with your written explanation. The person or entity that provided you with the defective work may elect to provide a replacement copy in lieu of a refund. If you received the work electronically, the person or entity providing it to you may choose to give you a second opportunity to receive the work electronically in lieu of a refund. If the second copy is also defective, you may demand a refund in writing without further opportunities to fix the problem.

1.F.4. Except for the limited right of replacement or refund set forth in paragraph 1.F.3, this work is provided to you 'AS-IS', WITH NO OTHER WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY OR FITNESS

FOR ANY PURPOSE.

1.F.5. Some states do not allow disclaimers of certain implied warranties or the exclusion or limitation of certain types of damages. If any disclaimer or limitation set forth in this agreement violates the law of the state applicable to this agreement, the agreement shall be interpreted to make the maximum disclaimer or limitation permitted by the applicable state law. The invalidity or unenforceability of any provision of this agreement shall not void the remaining provisions.

1.F.6. INDEMNITY - You agree to indemnify and hold the Foundation, the trademark owner, any agent or employee of the Foundation, anyone providing copies of Project Gutenberg-tm electronic works in accordance with this agreement, and any volunteers associated with the production, promotion and distribution of Project Gutenberg-tm electronic works, harmless from all liability, costs and

expenses, including legal fees, that arise directly or indirectly from any of the following which you do or cause to occur: (a) distribution of this or any Project Gutenberg-tm work, (b) alteration, modification, or additions or deletions to any Project Gutenberg-tm work, and (c) any Defect you cause.

Section 2. Information about the Mission of Project Gutenberg-tm

Project Gutenberg-tm is synonymous with the free distribution of electronic works in formats readable by the widest variety of computers including obsolete, old, middle-aged and new computers. It exists because of the efforts of hundreds of volunteers and donations from people in all walks of life.

Volunteers and financial support to provide volunteers with the assistance they need are critical to reaching Project Gutenberg-tm's

goals and ensuring that the Project Gutenberg-tm collection will remain freely available for generations to come. In 2001, the Project Gutenberg Literary Archive Foundation was created to provide a secure and permanent future for Project Gutenberg-tm and future generations. To learn more about the Project Gutenberg Literary Archive Foundation and how your efforts and donations can help, see Sections 3 and 4 and the Foundation information page at www.gutenberg.org

Section 3. Information about the Project Gutenberg Literary Archive Foundation

The Project Gutenberg Literary Archive Foundation is a non profit 501(c)(3) educational corporation organized under the laws of the state of Mississippi and granted tax exempt status by the Internal Revenue Service. The Foundation's EIN or federal tax identification

number is 64-6221541. Contributions to the Project Gutenberg Literary Archive Foundation are tax deductible to the full extent permitted by U.S. federal laws and your state's laws.

The Foundation's principal office is located at 4557 Melan Dr. S. Fairbanks, AK, 99712., but its volunteers and employees are scattered throughout numerous locations. Its business office is located at 809 North 1500 West, Salt Lake City, UT 84116, (801) 596-1887. Email contact links and up to date contact information can be found at the Foundation's web site and official page at www.gutenberg.org/contact

For additional contact information:
Dr. Gregory B. Newby
Chief Executive and Director
gbnewby@pglaf.org

Section 4. Information about Donations to the Project Gutenberg Literary Archive Foundation

Project Gutenberg-tm depends upon and cannot survive without wide spread public support and donations to carry out its mission of increasing the number of public domain and licensed works that can be freely distributed in machine readable form accessible by the widest array of equipment including outdated equipment. Many small donations (\$1 to \$5,000) are particularly important to maintaining tax exempt status with the IRS.

The Foundation is committed to complying with the laws regulating charities and charitable donations in all 50 states of the United States. Compliance requirements are not uniform and it takes a considerable effort, much paperwork and many fees to meet and keep up with these requirements. We do not solicit donations in locations where we have not received written confirmation of compliance. To SEND DONATIONS or determine the status

of compliance for any
particular state visit
www.gutenberg.org/donate

While we cannot and do not solicit
contributions from states where we
have not met the solicitation
requirements, we know of no prohibition
against accepting unsolicited donations
from donors in such states who
approach us with offers to donate.

International donations are gratefully
accepted, but we cannot make
any statements concerning tax treatment
of donations received from
outside the United States. U.S. laws
alone swamp our small staff.

Please check the Project Gutenberg Web
pages for current donation
methods and addresses. Donations are
accepted in a number of other
ways including checks, online payments
and credit card donations.
To donate, please visit:
www.gutenberg.org/donate

Section 5. General Information About Project Gutenberg-tm electronic works.

Professor Michael S. Hart was the originator of the Project Gutenberg-tm concept of a library of electronic works that could be freely shared with anyone. For forty years, he produced and distributed Project Gutenberg-tm eBooks with only a loose network of volunteer support.

Project Gutenberg-tm eBooks are often created from several printed editions, all of which are confirmed as Public Domain in the U.S. unless a copyright notice is included. Thus, we do not necessarily keep eBooks in compliance with any particular paper edition.

Most people start at our Web site which has the main PG search facility:

www.gutenberg.org

This Web site includes information about Project Gutenberg-tm, including how to make donations to the Project Gutenberg Literary Archive Foundation, how to help produce our new eBooks, and how to subscribe to our email newsletter to hear about new eBooks.